

Flügelkanteln

Fichte

Dimension	Länge
mm	m

massiv, 4-seitig, natur 0 - 3 kappstellen

60 / 85	4.0 - 5.0
70 / 85	4.0 - 5.0
70 / 105	4.0 - 5.0

keilverzinkt, gehobelt, 4-seitig sauber

60 / 75	6.0
60 / 82	6.0
70 / 82	6.0
70 / 85	6.0
70 / 105	6.0
70 / 110	6.0
70 / 135	6.0

keilverzinkt, lamelliert, gehobelt, 4-seitig sauber

72 / 86	6.0
63 / 86	6.0
72 / 105	6.0

Flügelkanteln

Dimension	Länge
mm	m

keilverzinkt, lamelliert, gehobelt, 4-seitig sauber

72 / 86	6.0
---------	-----

Rahmenkanteln

Fichte

Dimension	Länge
mm	m
massiv, 2 1/2-seitig, natur 0 - 3 kappstellen	
60 / 95	4.0 - 5.0
60 / 105	4.0 - 5.0
60 / 115	4.0 - 5.0
60 / 120	4.0 - 5.0
60 / 130	4.0 - 5.0
60 / 140	4.0 - 5.0

keilverzinkt, gehobelt, 2 1/2-seitig sauber

60 / 80	6.0
60 / 102	6.0
60 / 105	6.0
60 / 110	6.0
60 / 115	6.0
60 / 120	6.0
60 / 125	6.0
60 / 135	6.0
60 / 140	6.0
60 / 145	6.0
60 / 150	6.0


Türrahmenkanteln

Holzart	Dimension mm	Länge m
Eiche	45 / 90	5.30
Eiche	45 / 120	5.30
Eiche	45 / 150	5.30
Eiche	45 / 680	5.30
Buche	45 / 680	5.30
Eiche	55 / 90	5.30
Eiche	55 / 120	5.30
Eiche	60 / 90	5.30
Eiche	60 / 120	5.30
Eiche	60 / 200	5.30
Eiche	63 / 105	5.30
Eiche	63 / 125	5.30
Eiche	70 / 100	5.30
Eiche	70 / 140	5.30
Eiche	70 / 180	5.30
Sapelli	45 / 90	5.30
Sapelli	55 / 90	5.30
Sapelli	55 / 120	5.30
Fichte KV	45 / 90	5.30
Fichte KV	45 / 100	5.30
Fichte KV	45 / 120	5.30
Fichte KV	45 / 140	5.30
Fichte KV	45 / 150	5.30
Fichte KV	55 / 90	5.30
Fichte KV	55 / 100	5.30
Fichte KV	55 / 120	6.00
Tanne KV	45 / 90	5.30
Tanne KV	45 / 100	5.30
Tanne KV	45 / 120	5.30
Tanne KV	45 / 140	5.30
Tanne KV	45 / 150	5.30
Tanne KV	55 / 90	5.30
Tanne KV	55 / 100	5.30

Laubholzplatten Eiche für breite Rahmen

keilverzinkt

KV
D3 Stabverleimt formaldehydfrei
geschliffen



Stärke mm	Länge m	Breite m
45	2.25	0.80
45	3.30	0.80
50	2.25	1.15
50	3.30	0.80
55	2.25	0.80
55	2.25	1.15
55	3.30	0.80
60	2.25	0.80
60	2.25	1.15
60	3.30	0.80
70	2.25	0.80
70	2.25	1.15
70	3.30	0.80
80	2.25	0.80
80	3.30	0.80

Laubholzplatten Buche ged. für breite Rahmen

keilverzinkt

50	2.25	0.80
50	3.30	0.80
60	2.25	0.80
60	3.30	0.80
70	2.25	0.80
70	3.30	0.80