

MDF

Stärke	Länge	Breite
mm	cm	cm

MDF - Form

8.0	280.0	103.0
10.0	280.0	103.0

MDF - Medite - Exterior für aussen

6.0	244.0	122.0
9.0	244.0	122.0
12.0	244.0	122.0
15.0	244.0	122.0
18.0	244.0	122.0
19.0	244.0	122.0
15.0	274.5	152.5
18.0	274.5	152.5
22.0	274.5	152.5
25.0	274.5	152.5

MDF - Mediland - H feuchtfest

16.0	415.0	185.0
19.0	415.0	185.0
22.0	415.0	185.0

MDF - B1 Schwerentflammbar

16.0	366.0	183.0
19.0	366.0	183.0

MDF roh Formaldehydfrei

16.0	280.0 / 560.0	207.0
19.0	280.0 / 560.0	207.0

MDF mit Grundierfolie Formaldehydfrei

16.0	280.0 / 560.0	207.0
19.0	280.0 / 560.0	207.0

MDF

Stärke	Länge	Breite
mm	cm	cm

MDF - Kronospan u. Diverse

3.0	280.0	207.0
4.0	280.0	207.0
5.0	280.0	207.0
6.0	280.0	207.0
8.0	280.0	207.0
10.0	280.0	207.0
12.0	280.0	207.0
16.0	280.0 + 560.0	207.0
19.0	280.0 + 560.0	207.0
22.0	280.0 + 560.0	207.0
25.0	280.0 + 560.0	207.0
30.0	280.0	207.0
35.0	280.0	207.0
40.0	280.0	207.0
45.0	280.0	207.0
50.0	280.0	207.0

MDF mit Grundierfolie

8.0	2.61 / 2.80	207.0
10.0	2.61 / 2.80	207.0
12.0	2.61 / 2.80	207.0
16.0	2.61 / 2.80	207.0
19.0	2.61 / 2.80	207.0
22.0	2.61 / 2.80	207.0
25.0	2.61 / 2.80	207.0
30.0	2.61 / 2.80	207.0

MDF schwarz eingefärbt

16.0	280.0	210.0
19.0	280.0	210.0
25.0	280.0	210.0

Dünn - MDF geschliffen

3.0	244.0	205.0
4.0	244.0	205.0
4.0	366.0	244.0
5.0	244.0	205.0
6.0	244.0	205.0

Spanplatten

Stärke	Länge	Breite
mm	cm	cm

Rohspan Standard E1 V20

3.0	280.0	207.0
4.0	280.0	207.0
5.0	280.0	207.0
6.0	280.0	207.0
8.0	280.0	207.0
10.0	280.0	207.0
10.0	560.0	207.0
13.0	280.0	207.0
15.0	280.0	207.0
16.0	280.0	207.0
16.0	560.0	207.0
18.0	280.0	207.0
18.0	560.0	207.0
19.0	280.0	207.0
19.0	560.0	207.0
22.0	280.0	207.0
22.0	560.0	207.0
25.0	280.0	207.0
25.0	560.0	207.0
28.0	280.0	207.0
30.0	280.0	207.0
30.0	560.0	207.0
33.0	560.0	207.0
36.0	280.0	207.0
38.0	280.0	207.0
40.0	280.0	207.0
50.0	280.0	207.0

Rohspan P3 V100 E1

16.0	280.0	207.0
19.0	280.0	207.0
22.0	280.0	207.0
25.0	280.0	207.0
30.0	280.0	207.0
38.0	280.0	207.0
40.0	280.0	207.0

Beschichtete Spanplatten

Stärke	Länge	Breite
mm	cm	cm

Krosnospan K 100 SM

8.0	280.0	207.0
13.0	280.0	207.0
16.0	280.0	207.0
19.0	280.0	207.0

Krosnospan K 100 PE

10.0	280.0	207.0
16.0	280.0	207.0
19.0	280.0	207.0
40.0	280.0	207.0

Kronospan K 101 SM

8.0	280.0	207.0
10.0	280.0	207.0
13.0	280.0	207.0
16.0	280.0 / 560.0	207.0
19.0	280.0 / 560.0	207.0
22.0	280.0 / 560.0	207.0
25.0	280.0 / 560.0	207.0
30.0	280.0 / 560.0	207.0
40.0	280.0	207.0

Kronospan K 101 PE

8.0	280.0	207.0
10.0	280.0 / 560.0	207.0
13.0	280.0 / 560.0	207.0
16.0	280.0 / 560.0	207.0
19.0	280.0 / 560.0	207.0
22.0	280.0 / 560.0	207.0
25.0	280.0 / 560.0	207.0
30.0	280.0	207.0

Rückwandplatten HDF Brillant weiss 101

3.0 einseitig	280.0	207.0
4.0 einseitig	280.0	207.0
5.0 einseitig	280.0	207.0
3.0 beidseitig	280.0	207.0
4.0 beidseitig	280.0	207.0
5.0 beidseitig	280.0	207.0

Sperrholzplatten

Stärke mm	Aufbau	Länge cm	Breite cm
--------------	--------	-------------	--------------

Limba gemessert A/B

4.0	3 - fach	250.0	170.0
5.0	5 - fach	250.0	170.0
6.0	5 - fach	250.0	170.0
8.0	7 - fach	250.0	170.0
10.0	7 - fach	250.0	170.0
12.0	7 - fach	250.0	170.0

Okumé geschält B/BB

4.0	3 - fach	310.0	183.0
5.0	3 - fach	310.0	183.0
6.0	4 - fach	310.0	183.0
8.0	5 - fach	310.0	183.0
10.0	5 - fach	310.0	183.0
12.0	7 - fach	310.0	183.0
15.0	7 - fach	310.0	183.0
19.0	9 - fach	310.0	183.0
22.0	9 - fach	310.0	183.0
25.0	11 - fach	310.0	183.0
30.0	13 - fach	310.0	183.0
40.0	15 - fach	310.0	183.0

4.0	3 - fach	255.0	170.0
5.0	3 - fach	255.0	170.0
6.0	4 - fach	255.0	170.0
8.0	5 - fach	255.0	170.0
10.0	5 - fach	255.0	170.0
12.0	7 - fach	255.0	170.0
15.0	7 - fach	255.0	170.0
19.0	9 - fach	255.0	170.0
22.0	9 - fach	255.0	170.0
25.0	11 - fach	255.0	170.0
30.0	13 - fach	255.0	170.0
35.0	13 - fach	255.0	170.0
40.0	15 - fach	255.0	170.0
50.0	15 - fach	255.0	170.0

Buchen Combi B/BB

4.0		250.0	170.0
6.0		250.0	170.0
8.0		250.0	170.0
10.0		250.0	170.0

Sperrholzplatten

Stärke	Länge	Breite
mm	cm	cm

Tebopin 1 Franz. Seekiefer geschält B/C

7.0	250.0	125.0
10.0	250.0	125.0
12.0	250.0	125.0
15.0	250.0	125.0
18.0	250.0	125.0
19.0	250.0	125.0
22.0	250.0	125.0
25.0	250.0	125.0

Tebopin 3 Franz. Seekiefer geschält C/C

7.0	250.0	125.0
9.0	250.0	125.0
12.0	250.0	125.0
15.0	250.0	125.0
18.0	250.0	125.0
22.0	250.0	125.0
27.0	250.0	125.0

Birke D+D Film / Film 120 gr./m2

6.5	250.0	125.0
9.0	250.0	125.0
12.0	250.0	125.0
15.0	250.0	125.0
18.0	250.0	125.0
21.0	250.0	125.0
24.0	250.0	125.0
27.0	250.0	125.0
6.5	300.0	150.0
9.0	300.0	150.0
12.0	300.0	150.0
15.0	300.0	150.0
18.0	300.0	150.0
21.0	300.0	150.0
24.0	300.0	150.0
27.0	300.0	150.0

Sperrholzplatten

Stärke	Länge	Breite
mm	cm	cm

Birke Sieb / Film 220 gr./m2

9.0	150.0	250.0
12.0	150.0	250.0
15.0	150.0	250.0
18.0	150.0	250.0
21.0	150.0	250.0
24.0	150.0	250.0
27.0	150.0	250.0
30.0	150.0	250.0

Birke geschält S/BB D+D

4.0	150.0	300.0
6.5	150.0	300.0
9.0	150.0	300.0
12.0	150.0	300.0
15.0	150.0	300.0
18.0	150.0	300.0
21.0	150.0	300.0
24.0	150.0	300.0
27.0	150.0	300.0
30.0	150.0	300.0
35.0	150.0	300.0
40.0	150.0	300.0
45.0	150.0	300.0
50.0	150.0	300.0

Birke geschält BB/BB D+D

15.0	190.0	400.0
18.0	190.0	400.0
21.0	190.0	400.0
30.0	190.0	400.0

Buchen Combi B/B FSC

6.0	250.0	170.0
12.0	250.0	170.0
15.0	250.0	170.0
18.0	250.0	170.0
21.0	250.0	170.0
25.0	250.0	170.0

Sperrholzplatten

Stärke	Lagen	Länge	Breite
mm		cm	cm

Sperrholz Birke gemessert A/B D+D

9.0		250.0	125.0
12.0		250.0	125.0
15.0		250.0	125.0
18.0		250.0	125.0
21.0		250.0	125.0
24.0		250.0	125.0

Fichte / White Spruce geschält II/III

6.5	3	250.0	125.0
9.0	3	250.0	125.0
12.0	3	250.0	125.0
15.0	5	250.0	125.0
18.0	5	250.0	125.0
21.0	5	250.0	125.0
24.0	7	250.0	125.0
27.0	7	250.0	125.0

Pappel geschält A/B "FSC"

3.0	3	252.0	185.0
4.0	3	252.0	185.0
5.0	3	252.0	185.0
6.0	5	252.0	185.0
8.0	5	252.0	185.0
10.0	5	252.0	185.0
12.0	7	252.0	185.0
15.0	7	252.0	185.0
18.0	9	252.0	185.0
20.0	9	252.0	185.0

Abachi / Ayous gemessert A/B

10.0		250.0	182.0
12.0		250.0	182.0
15.0		250.0	182.0
18.0		250.0	182.0
20.0		250.0	182.0
22.0		250.0	182.0
25.0		250.0	182.0

Sperrholzplatten roh

Stärke	Länge	Breite
mm	cm	cm
FSC WISA - BIRKE S / BB		
4.0	150.0	300.0
6.5	150.0	300.0
9.0	150.0	300.0
12.0	150.0	300.0
15.0	150.0	300.0
18.0	150.0	300.0
21.0	150.0	300.0
24.0	150.0	300.0
27.0	150.0	300.0
30.0	150.0	300.0
35.0	150.0	300.0
40.0	150.0	300.0
50.0	150.0	300.0

BIRKE IQ S / BB längsfurniert roh

6.5	250.0	125.0
9.0	250.0	125.0
12.0	250.0	125.0
15.0	250.0	125.0
18.0	250.0	125.0
21.0	250.0	125.0
24.0	250.0	125.0
27.0	250.0	125.0
30.0	250.0	125.0

Buche B/BB geschält geschliffen

10.0	240.0	153.0
12.0	240.0	153.0
15.0	240.0	153.0
18.0	240.0	153.0
20.0	240.0	153.0
22.0	240.0	153.0
25.0	240.0	153.0
27.0	240.0	153.0
30.0	240.0	153.0
35.0	240.0	153.0
40.0	240.0	153.0
45.0	240.0	153.0
50.0	240.0	153.0
60.0	240.0	153.0

Sperrholzplatten roh

Stärke mm	Länge cm	Breite cm	Paketgrösse Stk. / m2
WISA-SPRUCE II / III roh Fichte 1-seitig geschlossen			
5.0	250.0	125.0	180 / 562.5
6.5	250.0	125.0	140 / 437.5
9.0	250.0	125.0	110 / 343.75
12.0	250.0	125.0	80 / 250
15.0	250.0	125.0	65 / 203.125
18.0	250.0	125.0	55 / 171.875
21.0	250.0	125.0	45 / 140.625
24.0	250.0	125.0	40 / 125
27.0	250.0	125.0	35 / 109.375
30.0	250.0	125.0	30 / 93.75

SPERRAPIN 3 Qual. III roh Seekiefer offen

9.0	285.0	125.0	50 / 178.125
12.0	285.0	125.0	40 / 142.5
15.0	285.0	125.0	30 / 106.875
18.0	285.0	125.0	25 / 89.0625
21.0	285.0	125.0	20 / 71.25
24.0	285.0	125.0	20 / 71.25
27.0	285.0	125.0	15 / 53.4375

SPERRAPIN 1 Qual. I/II roh Seekiefer 2-seitig geschlossen

7.0	250.0	125.0	60 / 187.5
10.0	250.0	125.0	45 / 140.625
12.0	250.0	125.0	40 / 125
15.0	250.0	125.0	30 / 93.75
18.0	250.0	125.0	25 / 78.125
21.0	250.0	125.0	20 / 62.5
24.0	250.0	125.0	20 / 62.5
30.0	250.0	125.0	15 / 46.875

RADIATA PINE B/C roh Kiefer

9.0	250.0	125.0	102 / 318.75
12.0	250.0	125.0	77 / 240.625
15.0	250.0	125.0	62 / 193.75
18.0	250.0	125.0	52 / 162.5
21.0	250.0	125.0	43 / 143.375
25.0	250.0	125.0	37 / 115.625

BETONSCHALUNGSSPERRHOLZ

Stärke mm	Länge cm	Breite cm	Paketgrösse Stk. / m2
SPERRAFORM FILM BIRKE 2-seitig Phenolharzfilm glatt / 220gr.			
4.0	120gr	125.0	250.0
6.5	120gr	125.0	250.0
9.0		125.0	250.0
12.0		125.0	250.0
15.0		125.0	250.0
18.0		125.0	250.0
21.0		125.0	250.0
24.0		125.0	250.0
27.0		125.0	250.0
4.0	120gr.	150.0	300.0
6.5	120gr.	150.0	300.0
9.0		150.0	300.0
12.0		150.0	300.0
15.0		150.0	300.0
18.0		150.0	300.0
21.0		150.0	300.0
24.0		150.0	300.0
27.0		150.0	300.0
9.0		150.0	360.0
21.0		150.0	360.0
9.0		150.0	360.0
12.0		540.0	240.0
21.0		540.0	240.0

FLUGZEUGSPERRHOLZ

0.6	150.0	150.0	25
0.8	155.0	155.0	50
1.0	155.0	155.0	100
1.5	155.0	155.0	100
5.0	155.0	155.0	100
2.5	155.0	155.0	50
3.0	155.0	155.0	50
4.0	155.0	155.0	50
5.0	155.0	155.0	50

BETONSCHALUNGSSPERRHOLZ

Stärke	Länge	Breite	Paketgrösse
mm	cm	cm	Stk. / m2
STRUKTOPLAN Spezial 1-seitig mit Brettstruktur			
5.5	300.0	120.0	50

MAGNOPLAN DUO BE 360 FILM 2-seitig Phenolharzfilm glatt

21.0	520.0	200.0	20
------	-------	-------	----

WISA-WIRE BIRKE 220 MAXI Sieb / Film

12.0	250.0	180.0	30
12.0	305.0	190.0	30
12.0	340.0	190.0	30
12.0	370.0	190.0	30
15.0	305.0	210.0	20
15.0	430.0	220.0	20
18.0	305.0	210.0	20
18.0	430.0	220.0	20
18.0	500.0	220.0	20
21.0	305.0	210.0	20
21.0	430.0	220.0	20
30.0	305.0	210.0	20